

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21334	((convert\$3 or conversion or migrat\$3) with database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 09:26
L2	3025	((import\$3 or load\$3 or input \$4) with (entire or whole) with (file or database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 09:26
L3	291	I1 and I2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 09:27
L4	8	I3 and legacy and template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 09:28
L5	47	("4873630" "5210870" "5297279" "5369778" "5390330" "5428791" "5504885" "5542078" "5548769" "5566330" "5596744" "5634053" "5634124" "5692183" "5721912" "5745765" "5764973" "5781905" "5850548" "5857194" "5862372" "5875330" "5878425" "5884079" "5893911" "5924101" "5946694" "5950001" "5970490" "5974413" "6185629" "6236994"). PN. OR ("6308178"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/24 09:32
L6	76	I3 and template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 09:32
L7	26531204	@ad<"20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 09:32

L8	37	I6 and L7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 09:32
L9	1117	(import\$3 or load\$3 or input \$4) with (entire or whole) with (database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 09:34
L10	184	I1 and I9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 09:34
L11	94	I10 and L7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 09:35
L12	1	I11 and legacy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 09:35
L13	86122	(import\$3 or load\$3 or input \$4) with (database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 09:35
L14	9140	I1 and I13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 09:35
L15	453	I14 and legacy and template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 09:35
L16	279	I15 and L7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 09:36
L17	1571	((migrat\$3) with database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 09:36

L18	754	117 and 113	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 09:36
L19	88	118 and legacy and template and 17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 09:36
L20	7	15 and migratS3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 09:42
L21	200	("5560005" "5627979" "5724575" "5758351" "5761684" "5809507" "5815415").PN. OR ("5970490").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/24 10:30
L22	23	121 and migratS3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/24 10:31
S1	32607	(convertS3 or conversion or translatS3) with database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 15:27
S2	6564	S1.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 15:28
S3	40	S2 and legacy and template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 15:28
S4	20	S3 and (source near2 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 15:28
S5	115	S2 and relational and template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 15:32

S6	108	S2 and (relational near2 database) and template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 15:32
S7	38	S6 and (source near2 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 15:32
S8	120	("5261080" I "5339434" I "5410675" I "5493671" I "5524253").PN. OR ("5708828").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/20 15:36
S9	50	S1 and S8	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/20 15:36
S10	50	S1 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 15:36
S11	18	migrat\$3 with legacy with (database near2 (application or program or system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 08:38
S12	32	migrat\$3 same (legacy with (database near2 (application or program or system)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 09:11
S13	10	migrat\$3 same (database with (contain\$3 or includ \$3) with (source near1 code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 09:20
S14	50	migrat\$3 same (database with (source near1 code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 09:24
S15	75	migrat\$3 with (database with (((source or program) near1 code) or script))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 09:28
S16	33767	(convert\$3 or conversion or translat\$3 or migrat\$3) with database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 09:31

S17	6787	S16.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 09:31
S18	148	S17 and (database with (contain\$3 or includ\$3 or stor\$3) with (((source or program) near1 code) or script))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 09:32
S19	10	S18 and legacy and relational and template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 09:32
S20	30	S17 and (database near3 (contain\$3 or includ\$3 or stor\$3) near3 (((source or program) near1 code) or script))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 09:38
S21	236	((migrat\$3) with database). ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 09:41
S22	20	S21 and (database with (contain\$3 or includ\$3 or stor\$3) with (((source or program) near1 code) or script))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 09:41
S23	15	S21 and ((database or repository) near3 (((source or program) near1 code) or script))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 09:44
S24	2	("20040158820").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/21 09:50
S25	0	("2004/0158820").URPN.	USPAT	OR	ON	2008/02/21 09:50
S26	118	((migrat\$3) with database with (system or application)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 09:52
S27	15	S26 and legacy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 09:52

S28	32	((migratS3) with database with application).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 09:54
S29	27	("2002/0091702").URPN.	USPAT	OR	ON	2008/02/21 10:01
S30	29	((migratS3) with (legacy near2 (system or application)))ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:04
S31	13	S30 and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:04
S32	41	((migratS3) with (legacy with (system or application)))ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:07
S33	16	S32 and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:07
S34	67	((migratS3) with (legacy)). ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:09
S35	20	S16 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:09
S36	11106	(convertS3 or conversion or translatS3 or migratS3) with ((source or legacy or program) near2 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:09
S37	994	S36 and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:10
S38	4	S34 and S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:10

S39	155	S36 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:11
S40	6774	(convertS3 or conversion or translatS3 or migratS3) near3 ((source or legacy or program) near2 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:11
S41	81	S40 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:11
S42	236	((migratS3) with database). ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:12
S43	12	S40 and S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:12
S44	121	((convertS3 or conversion or translatS3 or migratS3) with (legacy near2 (system or code or program or application)))ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:18
S45	37	S44 and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:19
S46	15	("20020120603" "20030055826" "20030163460" "20030208505" "5291583" "5426780" "5966707" "6134559" "6163776" "6754670"). PN. OR ("6999956"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/21 10:26
S47	33	((convertS3 or conversion or translatS3 or migratS3) with (legacy with (source or program or development or application)) with repository)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:28

S48	1	((convert\$3 or conversion or translat\$3 or migrat\$3) with (legacy with (code or script) with repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:30
S49	2	((convert\$3 or conversion or translat\$3 or migrat\$3) same (legacy with (code or script) with repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:31
S50	184	((convert\$3 or conversion or translat\$3 or migrat\$3) with (code or script) with repository)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:32
S51	54	((convert\$3 or conversion or translat\$3 or migrat\$3) with ((code or script) near2 repository))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:32
S52	0	S51 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:33
S53	18084	stor\$3 with (script or code) with database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:45
S54	30	S34 and S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:46
S55	5	S34 and S53	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 10:47
S56	314	((convert\$3 or conversion or translat\$3 or migrat\$3) with legacy).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 11:00
S57	21	S56 and (relational near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 11:01

S58	862191	S56 database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 11:08
S59	98	S56 and (repository or database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 11:09
S60	0	S56 and (collect\$3 with code with stor\$3 with (repository or database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 11:28
S61	0	S56 and (collect\$3 with code with (repository or database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 11:28
S62	20	S56 and ((logic or script or code or program or software) with (collect\$3 or stor\$3) with (repository or database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 11:29
S63	29	("5291583" "5315709" "5546577" "5678039" "5678044" "5708828" "5710727" "5724272" "5752008" "5754830" "5768564" "5815149" "5828897" "5842204" "5857103" "5870749" "5923879" "5970490" "6031992" "6031993" "6067579" "6199068" "6345243" "6345244"). PN. OR ("6654950"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/21 11:43
S64	20	S63 and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 11:43
S65	161	((logic or script or code or program or software) with legacy with (collect\$3 or stor\$3) with (repository or database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 11:47

S66	27	S65 and migrat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 11:47
S67	328	migrat\$3 with (legacy near3 (system or application or architecture))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:13
S68	99071	((logic or script or code or program or software) with (collect\$3 or stor\$3 or load \$3) with (repository or database or (data near1 store)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:14
S69	102	S67 and S68	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:14
S70	12229	((logic or script or code or program or software) with (collect\$3 or load\$3) with (repository or database or (data near1 store)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:15
S71	20	S67 and S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:16
S72	36	(migrat\$3 with (legacy near3 (system or application or architecture))).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:17
S73	101	((convert\$3 or conversion or translat\$3) with (legacy near3 (system or application or architecture))).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:21
S74	0	S73 and S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:22
S75	7	S73 and (relational near2 database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:22

S76	26531204	@ad<"20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:24
S77	4	S75 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:24
S78	59	S73 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:24
S79	15	collectS3 with legacy with environment	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:25
S80	99	migratS3 with (source near2 code) with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:35
S81	42	S80 and legacy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:36
S82	54	S80 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:36
S83	4055	(migratS3 with (system or application or architecture)). ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:49
S84	69	(source near2 (code or file)) and ((configuration or environment) near2 (data or file)) and S83	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 12:50
S85	2	("20030188036").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/21 13:00
S86	2	("2003/0188036").URPN.	USPAT	OR	ON	2008/02/21 13:05

S87	13	(migrat\$3 with legacy with database).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 14:26
S88	20	((convert\$3 or conversion or transl\$3) with legacy with database).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 14:27
S89	14	(S88 or S87) and relational	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 14:28
S90	32662	(convert\$3 or conversion or transl\$3) with database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 14:43
S91	6568	S90.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 14:43
S92	40	S91 and legacy and template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 14:43
S93	873	stor\$3 with (source and target) with database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 14:50
S94	43	S91 and S93	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/21 14:50
S95	106847	((convert\$3 or conversion or transl\$3 or migrat\$3) with (source or program or development or application)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 08:49
S96	1383	S95 and ((configuration or environment) near2 (file or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 08:50

S97	203	S96 and ((import\$3 or collect\$3 or load\$3) with database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 08:50
S98	45	S97 and legacy and template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 08:50
S99	26531204	@ad<"20030409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 08:51
S100	31	S98 and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 08:51
S101	29757	((convert\$3 or conversion or migrat\$3) near3 (source or program or development or application)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 09:05
S102	54627	((convert\$3 or conversion or migrat\$3) near3 (system or software or program or development or application)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 09:09
S103	42207	S102 and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 09:10
S104	260	S103 and ((import\$3 or collect\$3 or load\$3) with database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 09:10
S105	105	S97 and (legacy or template)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 09:11
S106	260	S104 and ((import\$3 or collect\$3 or load\$3) with database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 09:14

S107	82	S104 and (legacy or template)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 09:14
S108	82	S107 and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 09:22
S109	14711	((convert\$3 or conversion or migrat\$3) near3 (software or program or application)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 09:26
S110	238	S109 and (legacy or template) and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 09:26
S111	22	S109 and (legacy and template) and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 09:27
S112	23	S109 and (legacy and ((import\$3 or collect\$3 or load\$3) with database)) and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 09:27
S113	24	S109 and metamodel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 09:32
S114	11069	S109 and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 09:34
S115	81	S114 and pars\$3 and ((configuration or environment) near2 (file or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 09:35

S116	33	("4809170" "4849880" "5084813" "5228137" "5287515" "5295222" "5317568" "5367698" "5379430" "5428782" "5495610" "5497463" "5517622" "5564037"). PN. OR ("5678044"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/22 09:51
S117	1	((import\$3 or collect\$3 or load\$3) with (source near2 code) with ((configuration or environment or utility) near2 (data or file)) with database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 10:08
S118	1	((import\$3 or collect\$3 or load\$3) with (source near2 code) with ((configuration or environment or utility) near2 (data or file)) with repository)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 10:09
S119	8	((import\$3 or collect\$3 or load\$3) with (source near2 code) with ((configuration or environment or utility)) with repository)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 10:10
S120	10	((import\$3 or collect\$3 or load\$3) with (source near2 code) with ((configuration or environment or utility)) with database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 10:10
S121	541	((import\$3 or collect\$3 or load\$3 or stor\$3) same (source near2 code) same ((configuration or environment or utility)) same (repository or database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 10:12
S122	48	S121 and (migrat\$3 with (software or program or application))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 10:12
S123	32	S99 and S122	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 10:13
S124	0	("2007/0245332").URPN.	USPAT	OR	ON	2008/02/22 10:15

S125	53	("5278978" "5379419" "5416917" "5566332" "5596746" "5642505" "5708828" "5745703" "5966704" "5970490"). PN. OR ("6151608"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/22 10:37
S126	6787	((convertS3 or conversion or translatS3 or migratS3) with database).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 10:53
S127	951	S126 and ((importS3 or collectS3 or loadS3) with (entirety or database))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 10:53
S128	580	S99 and S127	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 10:54
S129	130	S128 and (parsS3 or (break S3 near1 down))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 10:54
S130	260	S128 and (parsS3 or (break S3 near1 down) or extract S3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 10:54
S131	236	((migratS3) with database). ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 10:55
S132	4	S131 and (parsS3 or (break S3 near1 down) or extract S3) and S99 and legacy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 10:55
S133	28	S131 and (parsS3 or (break S3 near1 down) or extract S3) and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 10:56
S134	7	S131 and ((importS3 or load S3) with (source or old) with database) and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 11:01

S135	2	("2003/0188036").URPN.	USPAT	OR	ON	2008/02/22 11:21
S136	3	S131 and template and legacy and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 11:40
S137	4	S131 and (stor\$3 with template with database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 12:35
S138	109	S131 and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 13:27
S139	3	(migrat\$3 and ((code or project) near\$ repository)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 13:29
S140	5	(migrat\$3 and ((code or project) with repository)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 13:31
S141	30	(migrat\$3 and ((code or project) with database)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 13:31
S142	51930	migrat\$3.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 15:08
S143	45957	(707/\$3).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/22 15:08
S144	162	S142 and S143 and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 15:08
S145	18	S144 and template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 15:09

S146	14	((export\$3 with ((code or project or development) with (database or repository)))ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 15:18
S147	413	S95 and S143 and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 15:22
S148	90	S147 and template	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 15:23
S149	6787	((convert\$3 or conversion or transl\$3 or migrat\$3) with database).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 16:32
S150	584	S143 and S149	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 16:32
S151	15024	(import\$3 or load\$3) near3 database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 16:33
S152	43232	(import\$3 or load\$3) near3 (file or database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 16:33
S153	98	S150 and S152 and S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 16:34
S154	68	S153 and (pars\$3 or extract \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 16:35
S155	14	S154 and legacy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 16:35

2/24/2008 10:52:24 AM

C:\Documents and Settings\jwang4\My Documents\EAST\Workspaces\10821085-amendment.wsp